Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39600	(profil\$3 user\$2 client\$3 role\$1 privilege\$1 priviledge\$1) near3 (director\$3 table database\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L2	2378	(fax\$3 facsimile\$1 scan\$3 print\$3) near3 (encrypt\$3 encod\$3 encipher\$8 cipher\$7 crypto\$8) near3 (document\$ file\$1 data\$1 message\$1 datagram\$1 package\$1 packet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L3	239	L1 and L2	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L4	120	L3 and director\$3	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L5	65	L4 and profile\$1	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L6	65	L5 and address\$3	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L7	18482	((358/1.1) or (358/3.23) or (358/3.28) or (358/1.18) or (358/505) or (358/539) or (358/400) or (358/448) or (358/474) or (358/498) or (726/1-7) or (726/17-19) or (726/21) or (726/30) or (726/30) or (380/202) or (380/229) or (380/243) or (380/28-30) or (709/223) or (709/225) or (709/229) or (711/163) or (711/205-207)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L8	3147	L7 and L1	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58
L9	38	L8 and L2	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	176	(profile\$1 file\$1) near5 (address\$3 destination\$1 ip) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L2	41879	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L3	91639	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L4	4789	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L5	176	(profile\$1 file\$1) near5 (address\$3 destination\$1 ip) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L6	862	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L7	57	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L6	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L8	27948	scan\$4 near3 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L9	36	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 L8	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L10	16139	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1))	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L11	7002	(profile\$1 file\$1) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L12	1209	L10 and L11	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L13	21999	(profile\$1 file\$1) near7 (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L14	109	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3) with (address\$3 destination\$1 ip) with (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L15	27948	scan\$4 near3 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L16	36	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 L15	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07

		•				
L17	4789	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L18	91639	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L19	133	L18 and L5	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L20	74	L19 and L17	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L21	133	L18 and L5	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L22	176	(profile\$1 file\$1) near5 (address\$3 destination\$1 ip) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L23	26	(profile\$1) near7 (address\$3) near7 (encrypt\$4 encipher\$4 cipher\$4 , crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L24	16139	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1))	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L25	109	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3) with (address\$3 destination\$1 ip) with (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L26	74	L19 and L17	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L27	1	L8 and L26	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L28	112176	(print\$4 (optic\$4 near3 (device\$1 machine\$1 unit\$1 system\$1 computer\$1 node\$1 station\$1)) scan\$4) near4 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L29	21	L28 and L26	USPAT; IBM_TDB	OR	OFF .	2007/07/31 15:07
L30	27948	scan\$4 near3 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L31	16139	(profile\$1 file\$1) near5 (address\$3 ip (destination\$1 near3 field\$1))	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L32	7002	(profile\$1 file\$1) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L33	1209	L24 and L32	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07

				r		
L34	91639	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L35	133	L34 and L1	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L36	74	L35 and L4	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L37	112176	(print\$4 (optic\$4 near3 (device\$1 machine\$1 unit\$1 system\$1 computer\$1 node\$1 station\$1)) scan\$4) near4 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L38	7002	(profile\$1 file\$1) near5 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L39	4789	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR :	OFF	2007/07/31 15:07
L40	54988	(fax\$3 facsimile\$1 scan\$4) near9 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L41	41879	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L42	21999	(profile\$1 file\$1) near7 (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L43	31	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near4 (L15)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L44	54988	(fax\$3 facsimile\$1 scan\$4) near9 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L45	20082	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/100) or (707/103x) or (707/200) or (705/58)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L46	21	L28 and L26	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L47	1	L8 and L26	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L48	26	(profile\$1) near7 (address\$3) near7 (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L49	21999	(profile\$1 file\$1) near7 (address\$3 destination\$1 ip)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L50	1209	L10 and L11	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07

L51	109	(profile\$1 file\$1) with (creat\$4 generat\$4 compos\$3) with (address\$3 destination\$1 ip) with (encrypt\$4 encipher\$4 cipher\$4 crypt\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L52	41879	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L53	54988	(fax\$3 facsimile\$1 scan\$4) near9 (document\$1 file\$1 page\$1 sheet\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L54	36	(encrypt\$4 encipher\$4 cipher\$4 crypt\$9) near6 L8	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07
L55	41879	(profile\$1 file\$1) NEAR3 (director\$4 table\$1 list\$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2007/07/31 15:07